

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

9280.3479
7M34P

9280.3479
7M34P
p. 2 POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
July 1964

SEP 30 1964

CURRENT SERIAL RECORDS

September 2, 1964

Inspected Poultry - A total of 758,098,000 pounds live weight (chickens, turkeys and ducks combined) were inspected for slaughter during July 1964 under the Poultry Inspection Act carried on by the USDA. This was 1 percent more than the previous month and up fractionally from July 1963.

The number of head and pounds (live weight) inspected by classes in July 1964 were: young chickens, 177,577,000 head, 598,739,000 pounds; mature chickens 8,865,000 head, 42,073,000 pounds; fryer-roaster turkeys, 1,389,000 head, 11,802,000 pounds; young turkeys 5,506,000 head, 89,493,000 pounds; old turkeys 400,000 head, 7,182,000 pounds; and ducks, 1,420,000 head, 8,809,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in July 1964 totaled 557,673,000 pounds ready-to-cook weight of which 415,293,000 pounds were iced and 142,380,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 435,950,000 pounds; mature chickens, 28,258,000 pounds; fryer-roaster turkeys, 9,081,000 pounds; young turkeys, 71,728,000 pounds; old turkeys, 5,744,000 pounds; ducks, 6,290,000 pounds; and other poultry, 622,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in July 1964 totaled 48,797,000 pounds ready-to-cook weight, compared with 44,246,000 pounds in July 1963. The quantity used in July 1964 consisted of 10,840,000 pounds of young chickens, 18,082,000 pounds of mature chickens, 17,132,000 pounds of turkeys, and 2,743,000 pounds of other poultry.

Cut-Up Poultry - Poultry cut-up and packaged in Federally inspected plants during July 1964 totaled 79,344,000 pounds ready-to-cook weight compared with 67,436,000 pounds in July 1963. The breakdown by classes for July 1964 consisted of 74,061,000 pounds of young chickens, 561,000 pounds of mature chickens, 4,662,000 pounds of turkeys and 60,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,954,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.27 percent; mature chickens, 0.47 percent; fryer-roaster turkeys, 0.14 percent; young turkeys, 0.13 percent; old turkeys, 0.09 percent; and ducks, 0.02 percent.

Post-mortem condemnations in July 1964 amounted to 13,552,000 pounds (NYD) weights. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.03 percent; mature chickens, 3.12 percent, fryer-roaster turkeys, 1.57 percent; young turkeys, 1.29 percent; old turkeys, 2.09 percent; and ducks 1.38 percent. In July 1963, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.03 percent; mature chickens, 2.74 percent; fryer-roaster turkeys, 1.46 percent; young turkeys, 1.15 percent; old turkeys, 1.84 percent; and ducks, 1.48 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE
Statistical Reporting Service
Pou 2-1 (9-64)

Crop Reporting Board
Washington, D. C.

Poultry: Slaughtered under Federal Inspection, July 1964 with comparisons

Class	Number inspected				Pounds inspected (live weight)				Average live weight			
	July		Jan.-July		June		July		June		July	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
	Thou.	Thou.	Thou.	Thou.	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	182,648	181,082	177,577	1,132,704	626,618	598,739	3,703,828	3,916,249	3.43	3.37	3.37	3.44
Mature chickens	8,964	8,515	8,865	66,459	45,187	41,730	288,634	323,640	5.04	4.90	4.75	4.87
Total chickens	191,612	189,597	186,442	1,199,163	671,805	652,758	640,812	4,239,889	3.51	3.44	3.44	3.54
Fryer-roasters	1,350	1,364	1,389	6,698	7,762	11,719	11,802	58,224	8.52	8.59	8.50	8.63
Young turkeys	2,166	4,758	5,506	9,758	11,233	36,259	89,493	167,218	16.74	16.18	16.25	17.14
Old turkeys	937	280	400	2,738	2,319	5,063	7,182	53,808	19.75	18.08	17.96	19.72
Total turkeys	4,453	6,402	7,295	19,194	21,314	93,771	108,477	279,250	311,741	14.88	14.65	14.87
Ducks	1,498	1,425	1,420	5,752	5,924	9,607	8,809	36,688	6.41	6.29	6.20	6.38
Other poultry	---	---	---	---	---	556	664	1,652	2,301	---	---	---
Total poultry	---	---	---	---	---	748,235	756,158	4,310,052	4,591,412	---	---	---

Pounds certified (ready-to-cook weights)

Class					July 1964				January-July 1963				January-July 1964			
	June 1964		July 1963		Frozen		Iced		Frozen		Iced		Frozen		Iced	
	Total	Frozen	Total	Frozen	Total	Frozen	Total	Frozen	Total	Frozen	Total	Frozen	Total	Frozen	Total	Frozen
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	406,238	48,287	454,525	395,926	48,299	444,225	387,646	48,304	435,950	2,394,681	284,329	2,679,010	2,504,042	324,573	2,828,615	2,828,615
Mature chickens	17,890	12,749	30,639	17,884	10,554	28,438	16,861	11,397	28,258	132,689	63,923	196,612	138,090	80,560	218,650	218,650
Total chickens	424,128	61,036	485,164	413,810	58,853	472,663	404,507	59,701	464,208	2,527,370	348,252	2,875,622	2,642,132	405,133	3,047,265	3,047,265
Fryer-roasters	1,509	7,341	8,850	1,629	7,314	8,943	1,132	7,949	9,081	9,533	35,499	45,032	9,158	42,666	51,824	51,824
Young turkeys	5,007	23,981	28,988	6,229	55,591	61,820	8,810	62,918	71,728	19,865	113,565	133,430	28,177	130,913	159,090	159,090
Old turkeys	2,414	12,336	14,750	381	3,641	4,022	753	4,991	5,744	4,763	37,842	42,605	4,211	32,292	36,503	36,503
Total turkeys	8,930	43,658	52,588	8,239	66,546	74,785	10,695	75,858	86,553	34,161	186,906	221,067	41,546	205,871	247,417	247,417
Ducks	91	6,726	6,817	65	6,332	6,397	86	6,204	6,290	901	25,068	25,969	948	25,766	26,714	26,714
Other poultry	10	342	352	3	422	425	5	617	622	14	947	961	59	1,347	1,406	1,406
Total poultry	433,159	111,762	544,921	422,117	132,153	554,270	415,293	142,380	557,673	2,562,446	561,173	3,123,619	2,684,685	638,117	3,322,802	3,322,802

Poultry: Condemnations of poultry slaughtered under Federal Inspection, July 1964 with comparisons

Class	Ante-mortem condemnations										Post-mortem condemnations									
	Pounds (live weight):					Percent 1/					Pounds (live weight):					Percent 2/				
	July	1963	1964	1963	1964	July	1963	1964	1963	1964	July	1963	1964	1963	1964	July	1963	1964	1963	1964
Young chickens	1,000	1,000	1,000	1,000	1,000	Percent	Percent	Percent	Percent	Percent	1,000	1,000	1,000	1,000	1,000	Percent	Percent	Percent	Percent	Percent
Mature chickens	1,859	1,614	1,614	8,448	9,608	0.27	0.27	0.27	0.27	0.27	11,119	11,119	11,119	11,119	11,119	2.03	2.03	2.03	2.03	2.03
Total chickens	167	199	199	1,160	1,362	.40	.40	.40	.40	.40	1,024	1,024	1,024	1,024	1,024	2.74	2.74	2.74	2.74	2.74
	2,026	1,813	1,813	10,008	10,970	.31	.31	.31	.31	.31	12,143	12,143	12,143	12,143	12,143	2.07	2.07	2.07	2.07	2.07
Fryer-roasters	15	17	17	124	117	.14	.14	.14	.14	.14	154	154	154	154	154	1.46	1.46	1.46	1.46	1.46
Young turkeys	88	115	115	215	296	.13	.13	.13	.13	.13	798	798	798	798	798	1.15	1.15	1.15	1.15	1.15
Old turkeys	4	6	6	61	57	.07	.07	.07	.07	.07	84	84	84	84	84	1.84	1.84	1.84	1.84	1.84
Total turkeys	107	138	138	400	470	.11	.11	.11	.11	.11	1,036	1,036	1,036	1,036	1,036	1.22	1.22	1.22	1.22	1.22
Ducks	2	2	2	9	6	.02	.02	.02	.02	.02	119	119	119	119	119	1.48	1.48	1.48	1.48	1.48
Other poultry	1	1	1	2	3	.08	.08	.08	.08	.08	6	6	6	6	6	1.01	1.01	1.01	1.01	1.01
Total	2,136	1,954	1,954	10,419	11,449	.26	.26	.26	.26	.26	13,304	13,304	13,304	13,304	13,304	1.96	1.96	1.96	1.96	1.96

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Poultry: Inspected for canning and other processed foods, July 1964 with comparisons 1/

Class	Pounds used ready-to-cook weight										Pounds condemned ready-to-cook weight									
	June					July					June					July				
	1964	1963	1964	1963	1964	1964	1963	1964	1963	1964	1964	1963	1964	1963	1964	1964	1963	1964	1963	1964
Young chickens	1,000	1,000	1,000	1,000	1,000	pounds	pounds	pounds	pounds	pounds	1,000	1,000	1,000	1,000	1,000	pounds	pounds	pounds	pounds	pounds
Further processed:	10,963	8,865	10,840	57,390	74,059	17	17	17	17	17	16	16	16	16	16	198	198	198	198	198
Cut up	74,684	63,815	74,061	418,722	474,583	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Mature chickens	16,984	17,690	18,082	146,550	139,550	5	5	5	5	5	7	7	7	7	7	78	78	78	78	78
Further processed:	571	579	561	5,211	5,656	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Turkeys	18,152	15,318	17,132	90,831	108,031	4	4	4	4	4	11	11	11	11	11	35	35	35	35	35
Further processed:	3,732	2,940	4,662	21,038	24,300	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Other poultry 2/	3,454	2,373	2,743	23,278	24,558	11	11	11	11	11	7	7	7	7	7	74	74	74	74	74
Further processed:	48	102	60	678	402	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Total	49,553	44,246	48,797	318,049	346,198	37	37	37	37	37	47	47	47	47	47	385	385	385	385	385
Further processed:	79,035	67,436	79,344	445,649	504,941	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, July 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
	Thou.		Thou.		Pounds		Pounds		Pounds		Percent	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
N. Atl.	14,337	14,605	54,768	55,038	3.82	3.77	39,353	39,854	872	962	1.77	1.95
E. N. Cent.	3,712	2,574	12,893	8,798	3.47	3.42	9,393	6,495	176	88	1.52	1.12
W. N. Cent.	5,143	4,384	16,555	14,165	3.22	3.23	11,886	10,224	268	198	1.81	1.56
S. Atl.	76,799	76,058	261,099	260,695	3.40	3.43	191,414	191,465	4,635	4,635	1.94	1.98
S. Cent.	77,470	76,113	252,604	246,707	3.26	3.24	182,742	178,339	5,018	4,760	2.21	2.15
West.	3,621	3,843	13,109	13,336	3.62	3.47	9,437	9,573	234	269	1.98	2.25
U. S.	181,082	177,577	611,028	598,739	3.37	3.37	444,225	435,950	11,119	10,912	2.03	2.03
Maine	5,957	5,984	23,148	23,104	3.89	3.86	16,940	17,121	361	355	1.73	1.71
Mass. 3/	539	---	2,037	---	3.78	---	1,439	---	39	---	2.14	---
Conn.	732	816	2,601	3,015	3.55	3.70	1,777	2,110	59	55	2.54	2.05
N. J. 3/	25	---	118	---	4.79	---	34	---	1	---	1.08	---
Pa.	6,697	7,269	25,400	26,759	3.79	3.68	18,389	19,304	397	512	1.74	2.13
Ohio	698	447	2,497	1,601	3.58	3.58	1,825	1,177	31	22	1.37	1.50
Ind.	1,432	1,004	4,687	3,140	3.27	3.13	3,408	2,309	44	20	1.04	.71
Ill.-Mich. 4/	409	19	1,550	116	3.79	6.11	1,094	87	51	2	3.72	1.95
Wis.	1,173	1,104	4,159	3,941	3.54	3.57	3,066	2,922	50	44	1.35	1.24
Minn.	840	715	2,902	2,586	3.46	3.62	2,175	1,950	43	22	1.63	.94
Iowa	77	53	324	258	4.18	4.82	192	192	5	1	1.72	.66
Mo.	4,226	3,616	13,329	11,321	3.15	3.13	9,474	8,082	220	175	1.84	1.72
Del.	7,594	7,985	27,902	29,634	3.67	3.71	20,529	21,927	548	554	2.19	2.08
Md.	10,575	10,600	39,059	39,026	3.69	3.68	28,008	27,929	713	783	2.03	2.24
Va.	5,282	4,283	15,681	13,127	2.97	3.06	11,217	9,201	219	210	1.55	1.78
N. C.	19,509	18,876	65,740	63,519	3.37	3.37	48,716	46,907	797	844	1.35	1.48
S. C.	2,431	2,046	7,895	6,942	3.25	3.39	5,719	5,023	148	207	2.09	3.32
Ga.	30,082	30,972	100,598	104,293	3.34	3.37	74,155	77,445	2,093	1,996	2.32	2.13
Ky.	2,322	2,031	7,989	6,769	3.44	3.33	5,586	4,827	80	70	1.12	1.16
Tenn.	5,381	5,325	17,944	17,524	3.33	3.29	13,138	12,874	271	272	1.68	1.73
Ala.	18,050	18,040	60,380	59,962	3.35	3.32	44,243	43,965	1,147	954	2.11	1.77
Miss.	14,033	13,562	45,485	44,028	3.24	3.25	33,413	31,983	874	1,066	2.14	2.70
Ark.	24,005	23,041	76,015	72,655	3.17	3.15	54,026	51,852	1,814	1,494	2.66	2.29
La.-Okla. 4/	3,621	3,458	11,929	11,223	3.29	3.25	8,695	8,179	268	223	2.51	2.21
Texas	10,058	10,656	32,862	34,546	3.27	3.24	23,641	24,659	564	681	1.92	2.20
Idaho	469	455	1,539	1,574	3.28	3.46	1,124	1,156	12	24	.88	1.70
Utah 3/	48	---	169	---	3.50	---	125	---	1	---	.75	---
Wash.	812	782	2,902	2,771	3.57	3.54	2,075	2,009	34	29	1.28	1.15
Calif.	2,292	2,583	8,499	8,910	3.71	3.45	6,113	6,349	187	215	2.46	2.69

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, July 1963 and 1964

Region and State	Number inspected	Pounds inspected		Average live weight		Total pounds certified		Post-mortem condemnations	
		(live weight)		Inspected 1/		(Ready-to-cook wt.)		Pounds (NYD)	
		1963	1964	1963	1964	1963	1964	1963	1964
	Thou.	Thou.	Thou.	Pounds	Pounds	Pounds	Pounds	Percent	Percent
N. Atl.	1,156	1,143	5,812	5,975	5.03	3,952	4,022	91	116
E. N. Cent.	1,528	1,666	6,653	6,824	4.35	4,537	4,596	131	155
W. N. Cent.	2,052	2,162	9,282	9,414	4.53	6,109	6,185	280	304
S. Atl.	1,652	1,425	9,242	7,558	5.59	6,506	5,146	195	205
S. Cent.	1,210	1,259	6,776	6,908	5.60	4,702	4,741	215	211
West.	919	1,210	3,965	5,394	4.31	2,632	3,568	112	185
U. S.	8,515	8,865	41,730	42,073	4.90	28,438	28,258	1,024	1,176
Maine	152	200	1,069	1,258	7.03	789	916	15	29
N. J.	539	488	2,179	2,081	4.04	1,373	1,282	43	51
Pa.	203	264	1,084	1,453	5.34	749	973	14	18
Ohio	422	629	1,813	2,595	4.30	1,222	1,745	40	68
Ind.	449	313	1,977	1,337	4.40	1,339	898	35	34
Ill.	435	492	1,795	1,906	4.13	1,244	1,296	35	32
Mich. 3/	34	---	177	---	---	120	---	3	---
Wis.	188	105	891	462	4.75	612	316	18	13
Minn.	865	914	3,607	3,734	4.17	2,304	2,389	137	141
Iowa	147	88	640	437	4.36	436	290	13	4
Mo.	622	730	3,308	3,528	5.32	2,238	2,370	73	80
Nebr. 3/	429	---	1,709	---	---	---	1,132	---	79
Del.	40	15	304	112	7.54	223	83	5	3
Md.	377	439	1,572	1,798	4.17	1,071	1,203	31	31
Va.	208	166	1,294	888	6.22	922	621	19	19
N. C.	458	394	2,617	2,237	5.72	1,840	1,506	51	62
S. C.	14	16	98	115	7.05	69	80	1	4
Ga.	535	385	3,237	2,356	6.05	2,297	1,618	83	85
Ky.	57	70	303	464	5.29	216	332	7	7
Tenn.	340	163	1,696	910	4.99	1,150	624	49	24
Ala.	186	48	1,156	313	6.20	830	221	32	9
Miss.	65	420	401	1,855	6.17	278	1,237	9	65
Ark.	123	127	906	954	7.38	637	681	27	21
La.-Okla. 4/	172	143	998	934	5.80	667	649	38	31
Texas	267	288	1,316	1,478	4.92	904	997	53	54
Idaho	14	22	73	101	5.13	49	70	1	2
Utah 3/	28	---	105	---	---	74	---	1	---
Wash.	87	135	401	596	4.59	260	382	12	18
Calif.	770	1,013	3,310	4,548	4.30	2,190	3,015	96	162

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected.

Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, July 1964

Region and State	Tuber- culosis	Leu- cosis	Sept- cemia	Airsag- inflamm- atory	Para- brui- ses	Cadaver- nation	Over- scal- d	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	54	2,937	8,609	145	4,128	3,253	14	276	948	1,053
E. N. Cent.	3,102	5,242	13,647	69	5,401	9,082	72	959	1,666	1,716
W. N. Cent.	16,488	7,537	15,834	247	11,363	10,706	457	1,393	706	4,046
S. Atl.	6	4,487	15,365	600	12,443	3,489	11	470	1,231	3,198
S. Cent.	8	14,499	10,617	191	11,422	2,616	146	715	1,236	3,812
West	0	1,035	16,526	603	6,536	14,045	168	813	921	2,648
U. S.	19,658	35,737	80,598	1,855	51,593	43,191	868	4,626	6,708	16,473
									940	21,685
									72	284,004
Maine										
N. J.	---	509	1,398	136	1,744	363	2	46	76	222
Pa.	6	1,751	4,683	5	1,030	2,254	---	99	527	361
Ohio	24	3,355	1,627	4	1,022	362	11	78	258	194
Ind.	602	3,316	4,150	5	3,520	4,108	19	441	751	767
Ill.	335	644	3,877	42	1,038	2,379	17	123	358	325
Wis.	1,299	359	4,322	3	185	2,041	36	269	256	340
Minn.	827	702	683	14	603	378	---	68	27	135
Iowa	8,028	1,902	4,530	25	6,188	7,928	394	742	268	1,991
Mo.	444	45	401	9	69	135	10	18	20	33
Nebr.	743	2,117	7,953	162	2,732	1,845	53	228	321	1,152
Del.	7,240	3,473	2,883	51	2,373	769	---	405	93	866
Md.	104	106	106	2	65	30	---	2	9	14
Va.	6	999	3,716	98	1,204	227	11	95	123	103
N. C.	---	453	1,352	47	2,265	289	---	36	80	161
S. C.	---	1,979	4,593	153	4,867	982	---	137	463	1,201
Ga.	---	70	125	27	190	7	---	9	45	56
Ky.	---	862	5,394	273	3,711	1,940	---	188	506	1,648
Tenn.	---	73	348	---	164	124	---	6	10	141
Ala.	4	864	913	8	609	880	1	33	144	431
Miss.	---	196	627	21	185	98	---	16	78	336
Ark.	---	7,013	2,522	8	4,782	182	---	392	430	964
La.-Okla. 1/	---	102	1,140	63	545	168	---	24	107	268
Texas	4	684	1,539	41	2,025	717	97	134	351	726
Idaho	---	5,567	3,528	50	3,112	447	48	110	116	946
Wash.	---	27	215	7	67	65	---	8	10	38
Calif.	---	221	1,893	4	924	588	---	72	144	271
	---	594	13,859	592	5,468	13,335	168	693	759	2,292

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, July 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
	1963 : 1964		1963 : 1964		1963 : 1964		1963 : 1964		Pounds (NYD)		Percent	
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	pounds	Percent	Percent
N.Atl.	52	60	931	1,090	17.90	18.17	747	876	5	7	0.60	0.72
E.N.Cent.	497	516	7,945	7,953	15.99	15.41	6,392	6,361	69	89	.97	1.24
W.N.Cent.	1,850	2,091	28,856	31,993	15.60	15.30	23,369	25,896	228	287	.88	1.00
S.Atl.	372	461	6,431	7,453	17.29	16.17	5,025	5,792	64	130	1.11	1.94
S.Cent.	382	828	5,997	13,090	15.70	15.81	4,757	10,326	80	164	1.48	1.39
West	1,605	1,550	26,829	27,914	16.72	18.01	21,530	22,477	352	364	1.46	1.45
U. S.	4,758	5,506	76,989	89,493	16.18	16.25	61,820	71,728	798	1,041	1.15	1.29
Pa.	35	41	641	646	18.57	15.68	524	524	3	4	.62	.70
Ohio	93	113	1,538	1,782	16.47	15.77	1,252	1,423	7	12	.52	.75
Ind.	133	150	2,077	2,274	15.59	15.14	1,702	1,864	10	7	.54	.37
Ill.-Mich. 3/	61	32	999	418	16.38	13.06	803	335	5	2	.56	.53
Wis.	210	221	3,331	3,479	15.90	15.72	2,635	2,739	47	68	1.56	2.16
Minn.	942	1,013	14,819	15,377	15.74	15.18	12,021	12,490	118	142	.88	1.03
Iowa	596	622	9,314	9,627	15.63	15.47	7,569	7,756	68	85	.81	.97
Mo.	80	261	1,175	3,866	14.69	14.81	930	3,120	19	31	1.80	.89
N.Dak.-S.Dak. 3/4/	48	---	798	---	16.62	---	643	---	3	---	.42	---
Nebr.	92	118	1,464	2,069	15.88	17.55	1,178	1,675	9	18	.73	.96
Va.	114	162	1,996	2,749	17.49	16.97	1,455	2,036	33	65	1.85	2.65
N.C.	196	236	3,543	3,714	18.09	15.75	2,863	2,976	26	57	.81	1.70
S.C. 4/	17	---	321	---	18.34	---	258	---	1	---	.51	---
Ca. 4/	9	---	136	---	15.69	---	111	---	3	---	2.35	---
Ark.	79	331	1,086	4,834	13.77	14.62	854	3,757	22	47	2.22	1.08
Texas	248	275	4,123	4,830	16.61	17.53	3,269	3,846	54	73	1.46	1.68
Colo.	195	250	3,308	4,913	16.99	19.65	2,741	4,067	19	75	.65	1.69
Utah	320	211	5,576	3,536	17.41	16.77	4,486	2,847	46	23	.92	.72
Calif.	1,028	987	16,972	17,913	16.52	18.14	13,527	14,307	279	255	1.82	1.59

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.

3/ Percentages based on unrounded data.

4/ Combined to avoid disclosure of individual operations.

5/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, July 1964

Region and State	Tuber- cullosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver inamtion	Over- Decom- scald	Other	Total
N. Atl.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
E. N. Cent.	2	166	106	64	106	19	33	25	19	1	3	419
W. N. Cent.	26	1,469	946	3,443	3,443	35	275	35	145	23	15	6,390
S. Atl.	160	6,763	5,891	2,808	101	220	667	78	741	297	119	17,779
S. Cent.	26	1,708	1,780	3,255	3	109	467	109	213	13	70	7,613
West	149	3,898	2,317	2,018	15	318	488	384	1,212	21	17	9,423
	41	5,840	2,475	7,513	145	1	1,212	64	1,212	1	7	18,001
U.S.	404	19,844	13,473	19,143	275	1	3,142	785	1,888	418	231	59,625
Pa.	2	144	55	33	33	19	26	10	19	1	2	292
Ohio	11	298	35	93	93	18	133	4	18	10	14	620
Ind.	1	230	69	55	55	26	22	5	26	---	---	409
Ill.-Mich. 1/	---	44	66	3	3	8	12	---	8	2	---	135
Wis.	14	897	776	3,292	8	26	108	26	93	11	1	5,226
Minn.	8	3,310	3,601	849	8	106	352	106	404	46	73	8,757
Iowa	144	1,985	1,577	1,349	8	60	175	60	146	16	40	5,512
Mo.	---	759	439	433	---	19	107	19	135	180	5	2,077
Nebr.	3	475	115	72	85	31	11	31	9	4	1	806
Va.	1	874	1,398	1,298	1	15	79	15	108	1	---	3,775
N.C.	15	738	322	1,864	2	48	356	48	80	12	70	3,507
Ark.	47	1,390	668	556	3	67	219	67	93	6	---	3,053
Texas	100	1,546	1,049	1,029	6	25	132	25	122	2	1	4,012
Colo.	---	299	218	3,115	71	27	79	27	83	12	4	3,908
Utah	12	689	96	260	2	59	40	59	80	4	1	1,243
Calif.	17	4,486	2,080	3,945	71	201	1,045	201	206	47	2	12,102

1/ Combined to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, July 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl. 3/	---	9	2	157	19.51	18.13	---	---	---	0.51
E. N. Cent.	47	36	839	641	17.85	17.81	673	10	1.33	1.91
W. N. Cent.	50	80	840	1,397	16.80	17.46	671	11	1.46	2.15
S. Atl.	47	84	727	1,365	15.47	16.25	571	10	1.53	2.28
S. Cent.	18	5	305	74	16.94	14.80	238	11	4.01	1.51
West.	118	186	2,350	3,548	19.92	19.08	1,869	42	1.99	2.10
U. S.	280	400	5,063	7,182	18.08	17.96	4,022	84	1.84	2.09
Ohio	13	17	243	293	19.35	17.22	196	3	1.11	.66
Minn.	45	67	748	1,214	16.74	18.22	597	10	1.57	2.32
Iowa 3/ 4/	---	3	---	44	---	14.91	---	---	---	1.09
Va. 4/	32	---	462	---	14.56	---	360	6	1.52	---
Texas	15	---	261	---	17.52	---	204	10	4.03	---
Calif.	103	144	2,091	2,782	20.27	19.37	1,670	37	1.97	2.12

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, July 1964

Region and State	Tuber-:Leu-:Septi-:Airsac-:Inflam-: Tumors		Para-: Bruises		Cadaver		Contam-: Over-: Decom-: : position:		Other		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	---	13	13	2	---	1	8	---	---	---	37
E. N. Cent.	---	4	170	156	---	2	26	---	---	---	397
W. N. Cent.	---	2	288	516	---	28	16	37	8	---	1,163
S. Atl.	---	65	525	153	56	9	18	55	1	---	1,591
S. Cent.	---	---	16	23	---	---	---	17	---	---	67
West.	---	16	1,287	118	21	18	23	76	1	---	2,818
U. S.	---	87	2,299	853	78	58	91	194	10	---	6,073
Ohio	---	---	48	---	---	---	3	2	---	---	69
Minn.	---	1	264	508	1	26	16	36	8	---	1,045
Iowa	---	1	5	4	---	---	---	1	---	---	27
Calif.	---	1	1,004	30	18	16	7	68	1	---	2,157

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 pounds. 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

OFFICIAL BUSINESS

Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U. S. D. A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.